


Ø 1.8 mm

134 °C
273 °F

E.R.C.P. Catheter, standard tip

- accepts guide wire .035 inch



with mandrin

with mandrin / proximal Ø 2.45 mm

43 18	43 22-18FD
-------	------------



E.R.C.P. Catheter, tapered tip

- accepts guide wire .035 inch



with mandrin

with mandrin / proximal Ø 2.45 mm

44 18	44 22-18FD
-------	------------



E.R.C.P. Catheter, conical metal tip

- accepts guide wire .035 inch



with mandrin

with mandrin / proximal Ø 2.45 mm

45 18	45 22-18FD
-------	------------



Ø 1.8 mm

134 °C
273 °F

E.R.C.P. Catheter, tapered metal tip

- accepts guide wire .035 inch



with mandrin

with mandrin / proximal Ø 2.45 mm

46 18	46 22-18FD
-------	------------



E.R.C.P. Catheter, round metal tip

- accepts guide wire .035 inch



with mandrin

with mandrin / proximal Ø 2.45 mm

47 18	47 22-18FD
-------	------------



E.R.C.P. Catheter, hour-glass metal tip

- accepts guide wire .035 inch



with mandrin

with mandrin / proximal Ø 2.45 mm

48 18	48 22-18FD
-------	------------



Ø 1.8 mm

**134°C
273 F**

needle tip 2 mm

- not to be used with guide wire



with mandrin



Ø 1.6 mm

**134°C
273 F**

tapered tip

- accepts guide wire
.025 inch



with mandrin

